

250' x 250' 87,120 SF

And Released in Document 2023-119165

Colled 36,98 Ac. Amil Ohomejo it Ruchi Dhomejo it 2000–188276 R.P.R.D.C.I Zonest: R2 477 J.EDeduke RD COLLEGE CANDOL I 75077–8542

Let 3, Block A Zonect R1

TO REMAIN

7225 BOX CULVERTS // ONOD-188 CFS OCCAP=187 CFS

TERLINE R 26.0

W Dedication EXISTING CONSTRUCTION CONSTRUCTION ENTRANCE

85'35'00" E

0" E Colled 0.992 Ac.
0" E PRASO Horsed Tripe
880 DONE THE 2021 113308
10785741E 77 AU P.D.C.1
75077-8981.

DOVE TRAIL

1. OFFSITE CONTOURS ARE BASED ON USGS MAPPING AND ONLY USED FOR DRAINAGE PATTERNS.

GENERAL NOTES:

2 87,168 SF 2,001 Ac. Zonet R2

STORAGE VOLUME
REQUIRED: 71,800 ft3
STORAGE VOLUME
PROVIDED: 214,304

ACCESSORY BARN MAN SOE YARD SETBACK 15', 20'E' HICH

75.60 | FROMITIAND | FROMITIA

PARCI

TBM #2: MAGNAIL WITH SHINER (MCADAMS) SET IN A DRIVEWAY ENTRANCE FOR THE NORTH EAST CORNER OF SUBJECT PROPERTY, LOCATED APPROXIMATELY 210' NORTH OF THE INTERSECTION OF DOVE TRAIL, AND JERNIGAN ROAD, AND APPROXIMATELY 1,290' SOUTH OF THE INTERSECTION OF LONESOME DOVE LANE AND JERNIGAN ROAD, N: 7081303.010 E: 2399259.267 ELEVATION: 634.72

MR PROPERTIES AND DEVELOPMENT, LLC
4931 LONG PRAIRE ROAD SUITE 200
FLOWER MOUND, TEXAS 75028
[817] 371-4848
MICHAEL CANNADAY

APPLICANT

TBM #1: MAGNAIL WITH SHINER FOUND ON THE EAST SIDE OF JERNIGAN ROAD, LOCATED APPROXIMATELY 280' SOUTH OF THE INTERSECTION OF FOVE TRAIL LAND JERNIGAN ROAD, AND APPROXIMATELY 645' NORTH OF THE INTERSECTION OF ROLLING ACRES DRIVE AND JERNIGAN ROAD, N. 7080815.239 E: 2399310.941 ELEVATION: 626.85

BENCHMARKS:

phone 972 436 9712 fax 972. 436. 9715 TBPE 19762 TBPLS: 10194440

ohn R. McAdams Company, Inc. O State Highway 121, Suite 800 Lewisville, Texas 75056

GRAPHIC SCALE

PROPOSED BAR DITCH

Cotted 28.642 Ac.
comminder Poll Singh,
in Subhidean Intuition of William
2020—99561
R P ACOCT.
Zonnie R R
343 "30bestan
R D CANTON, TN
CANTON, TN
CANTON, TN
CANTON, TN

Colled 9.956 Ac.
ally D. Doels & Wife, 361 JODECAN RO
Rebin Dougles Doels CORPER CHYTON, TX
Vol. 2671, Pq. 45
RPROCE.

CONCRETE BROAD CRESTED

'28' LONG 18" ROCK RIPRAP

POOL ELEVATION = 610.90

N 00'45'40" E 33,45"

(NCYDYNZ) LONG

issue at the certain set, text or perced all and shoulded in the Texts & Provide Recharge Survey, Abstract Howher 1304, Texts of Copper Copyes, Coption County, Texts, and being past to the certain counted \$8.4.5 are vert of lend developed in deed in the or of Parminder Se 1999, and Sadabeed Marx, Howherd and William County, Texts, and being norms perilicularly searched an electric Challes(Text) of the Set Proper Section of the Recharge Records of Devices County, Texts, and being norms of Lords Abstract received in the Assemble Challes and the search Section and Cords Interest and the search Section and Cords Interest and the Section of Cords Abstract received in texts, and the search Section and Cords Abstract received in the Assemble Abstract received in the Assemble Abstract Records of Devices County, Texts, and developed the Assemble Abstract Records of Devices County, Texts, and developed the Assemble Abstract Records of Devices County, Texts, and developed to Devices County, Texts, and developed to Developed the Devices Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Developed County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Record and Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records of Devices County, Texts, and the Assemble Abstract Records and Records and County, Texts, and the Assemble Abstract Records and Records and County, Texts, and the Assemble Abstract Records and R

Percentage of site coverage
Schedule of Development
Parking and loading spaces
Percented and provided
Area of open space or plaza area
Outside storage as a precentage of 0 TTE DATA TABLE WATER NE IRE HYDRANT X STING TREE 49% 178D N/A

REVISIONS DATE

JERNIGAN ESTATES **DEVELOPMENT PLAN**

545 JERNIGAN ROAD

TOWN OF COPPER CANYON, DENTON COUNTY, TEXAS, 75077

DEVELOPMENT PLAN

RELEASED FOR CONSTRUCTION

FOR TOWN USE ONLY

SCALE


1 n h 80 ft 04 30 24 XV DAA

CHECKED BY PROJECT NO

PBR23001 DEVELOPMENT PLAN OW

PR8-23001

PLAN INFORMATION



250' x 250' 87,120 SF

Troct 2
Of Ingress & gress E sement
1933 62939
R P R D T
R P R D C T
R P R D C T
R P R D C T

Coted 36.98 Ac. April Ohomejo it Ruoli Ohomejo it Ruoli Ohomejo R.P.R.D.C.1 Zonet: R2 477 "CDedday RD COPPER CAMPON, 13 750177-8542

2 87,168 SF 2,001 Ac. Zonet R2

9 87,138 SF 2,000 Ac. Zoned R2

PROPOSED BAR DITCH

87,130 SF 2,000 Ac. Zonet R2

87,130 SF 2,000 Ac. Zoned RZ

set (LCCUASS):

REALT S MONATOR CONTROL CAND that is 1/2" compact robus set (MCCUAMS):

REALT S MONATOR CONTROL CAND that is 1/2" compact robus set (MCCUAMS):

REALT S MONATOR CONTROL CAND that is 0 1/2" compact robus set (MCCUAMS):

REALT S MONATOR CONTROL CAND that is 0 1/2" compact robus set (MCCUAMS):

REALT MONATOR CONTROL CAND that is 0 1/2" compact robus set (MCCUAMS) of the beginning of a current to the right:

REALT MONATOR CONTROL CAND that is 0 1/2" compact robus set (MCCUAMS) of the second of MSUND years on set tength of 138.12 (set shows chief bears S SYN) 12", 136.5 (set to 0 1/2" compact robus set (MCCUAMS) of the septimizer course to the left, in record found) on the sent inter set of MSUND years course to the left, in 0 1/2" compact robus set (MCCUAMS) of the septimizer course to the left, in 0 1/2" compact robus set (MCCUAMS) of the septimizer course to the left, in 0 1/2" compact robus set (MCCUAMS) of the septimizer course to the left, in 0 1/2" compact robus set (MCCUAMS) of the septimizer course to the left, in 0 1/2" compact robus set (MCCUAMS).

REALT MONATOR COUNTY, 13/4.5 (set to 0 1/2" compact robus set (MCCUAMS) of the set of the set of the left robus set (MCCUAMS) of the set of the set of the left robus set (MCCUAMS).

REALT MONATOR COUNTY, 13/4.5 (set to 0 1/2" compact robus set (MCCUAMS) is Junique Robus (a public robusty, no record found) on the sent the set of MCCUAMS (MCCUAMS) is Junique Robus (a public robusty, no record found) on the sent the set of MCCUAMS (MCCUAMS) is Junique Robus (a public robusty, no record found) on the sent the set of MCCUAMS (MCCUAMS) is Junique Robus (a public robusty, no record found) on the sent the set of MCCUAMS (MCCUAMS) is Junique Robus (MCCUAMS).


REALT MONATOR (MCCUAMS) (MCCUAMS) (MCCUAMS) is Junique Robus (MCCUAMS) (MCCUAMS)

islability that for ported of load eliberal in the Trace & Proble Rebery Survey, Astrickt Immber 10%, I flow of Copper Compto. Compto.

POND

of Proposed Lots N/A N/A

J, Block A Zoned: RI



ol 4 Block A Zoned: R

FOR TOWN USE ONLY

CHECKED BY

PBR23001-CONCEPT DWG

PLAN INFORMATION

DATE



JERNIGAN ESTATES **DEVELOPMENT PLAN**

545 JERNIGAN ROAD TOWN OF COPPER CANYON, **DENTON COUNTY, TEXAS, 75077**

BENCHMARKS:

EXISTING
POND TO BE MODIFIED
OR ADDITIONAL STORAGE

Collect 9.955 Ac.
Kaify D. Owes & Wife, Sall "Disease His
Robin Daughes Owes Company Colymon, in
M. 7871, Pp. 43
P.P.R.D.C. I.
R.P.R.D.C. I.

N 681015 E 1415.89

TBM #1: MAGNAIL WITH SHINER FOUND ON THE EAST SIDE OF JERNIGAN ROAD, LOCATED APPROXIMATELY 280° SOUTH OF THE INTERSECTION OF FOVE TRAIL AND JERNIGAN ROAD, AND APPROXIMATELY 645' NORTH OF THE INTERSECTION OF FOLLING ACRES DRIVE AND JERNIGAN ROAD, N. 7080815.239 E: 2399310.941 ELEVATION: 626.85

Tudter Form 2019-13 P.R.O.G.1

TBM #2: MAGNAIL WITH SHINER (MCADAMS) SET IN A DRIVEWAY ENTRANCE FOR THE NORTH EAST CORNER OF SUBJECT PROPERTY, LOCATED APPROXIMATELY 210' NORTH OF THE INTERSECTION OF DOVE TRAIL AND JERNIGAN ROAD, AND APPROXIMATELY 1,290' SOUTH OF THE INTERSECTION OF LONESOME DOVE LANE AND JERNIGAN ROAD, N. 7081303.010 E: 2399259.267 ELEVATION: 694.72

20 20 20

111 m

PROPOSED BAR DITCH

123

Coded 0.323 Ac ROW Defication Sucher Form 2019-J PROCT

87,150 SF 2,001 Ac. 2,001 RP. 175' BL

DOVE TRAIL

1. OFFSITE CONTOURS ARE BASED ON USGS MAPPING AND ONLY USED FOR DRAINAGE PATTERNS.

GENERAL NOTES:

Caled 0.992 Ac.
Philip Hayold Tripp
680 00VC 19, 2071 3558
LINEWALL, 19, 42 P.R.
75077 8881

EXISTING CONSTRUCTION ENTRANCE

Catted 2% 642 Ac-Preminder Pd Singh & Suhdriese Kour, Nobered & Wile 2000–99581 R PA DCI Zmek, R2 945 JBestaw ND COPPIN CAMPIN, 12096 73077–8596

MR PROPERTIES AND DEVELOPMENT, LLC
4931 ONG PRANE ROAD SUITE 200
FLOWER MOUND, TEXAS 75028
(817) 371-4848
MICHAEL CANNADAY

APPLICANT


phone 972 436. 9712 fax 972 436 9715 TBPE: 19762 TBPLS: 10194440

DEVELOPMENT PLAN

1 in h 80 ft 04 30 2024 ₹ PA

PRELIMINARY DRAWING

RELEASED FOR CONSTRUCTION



FOR TOWN USE ONLY

REVISIONS DATE

JERNIGAN ESTATES

DEVELOPMENT PLAN 545 JERNIGAN ROAD

SITE DATA TABLE WATER LINE FIRE HYDRANT EXISTING TREES EXISTING TREES

N/A N/A 18D

TOWN OF COPPER CANYON,

DENTON COUNTY, TEXAS, 75077

MCADAMS the John R. McAdams Company, Inc. 4400 State Highway 121, Suite 800 Lewisville, Texas 75056 phone 972, 436, 9712 fax 972, 436, 9715 TBPE: 19762 TBPLS: 10194440

MR PROPERTIES AND DEVELOPMENT, LIC
4931 LONG PRAIRE ROAD, SUITE 200
FLOWER MOUND, TEXAS 75028
(817) 371-4948
MICHAEL CANNADAY

APPLICANT

GRAPHIC SCALE

DEVELOPMENT PLAN 04. 30. 2024 CHECKED BY

₹

1 inch = 80 ft

PROJECT NO.

PR6-23001

PBR23001-DEVELOPMENT PLAN NO

LAN INFORMATION